

RAN-3972

3rd B.H.M.S. (New) Examination

December - 2020

Obstetrics, Infant Care Homoeopathic Therapeutics - Paper - II

[Total Marks: 100

સૂચના : / Instructions

(٩)

નીચે દર્શાવેલ 🖝 નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Fill up strictly the details of 🖝 signs on your answer book	Seat No.:
Name of the Examination:	
☞ 3rd B.H.M.S. (New)	
Name of the Subject :	
Obstetrics, Infant Care Homoeopathic Therapeutics - Paper - II	
Subject Code No.: 3 9 7 2	Student's Signature

SECTION - I

Q-1. A 20 weeks pregnant woman coming with c/o sudden slight P/V bleeding with slight discomfort. What is your diagnosis? Write in detail about it. (15) OR Q-1. Define ectopic pregnancy. Write its types, discuss tubal pregnancy under following points. Definition, causes, C/F, its fate. (15) Q-2. Discuss in detail retained placenta. (15) OR Q-2. Write in short Septic abortion A) (08) Neonatal jaundice B) (07)

RAN-3972]	[1]	[P.T.O.]
------------	-----	------------

Q-3. Write short notes (Any 3)

- a) Difference between true and false labour.
- b) Difference between concealed and revealed abruptio placenta.
- c) Apgar score.
- d) Indications of caesarean section.
- e) USG in obstetrics.

Q-4. MCQ

- 1) Partial/complete implantation of placenta of lower uterine segment is called
 - a) normal placenta. b) placenta previa.
 - c) abruptio placenta. d) vellamentous placenta.

2) Post partum period of 42d is called

- a) gestation. b) puerperium.
- c) labour. d) all of the above.

3) Expulsion of the products of conceptus before 28 wks of pregnancy called

- a) abortion. b) preterm labour.
- c) IUFD. d) none of the above.

4) Quickening is the first movement of fetus felt by mother in

- a) 14-16 wks. b) 6-8 wks.
- c) 10-12 wks. d) 30-32 wks.

5) Breech is type of

- a) normal presentation. b) abnormal presentation.
- c) normal position d) normal lie.

SECTION - II

Q-l.	What is most common type of anaemia during pregnancy? Give indication of following medicine for anaemia during pregnancy						
	a.	Nat mur	b.	Alumina	1 =)		
	C.	Ferrum met		(.	15)		
OR							
Q-l.	What is most common cause of PPH? Give indication of following medicine				le		
	for PPH.						
	a.	Secal cor.	b.	Hamamellis.			
	c.	Sabina.		(1	15)		
Q-2.	2. What is eclampsia? Describe indication of following medicines for eclampsia (15						
	a.	Cuprum met.	b.	Cicuta virosa.			
	c.	Gelsemium.					

[Contd.

(15)

(05)

OR

Q-2.	a. b.				(08)	
		for abruptio placenta			(07)	
Q-3.		Write any three short notes				
	1.	Ant tart for asphyxia neonatorum.				
	2.	Sepia for abortion.				
	3.	Bryonia for mastitis.				
	4.	Cimicifuga for normal labour.				
	5.	Ars alb for hyperemesis gravidarum	l			
Q-4.		Answer in short			(05)	
	1.	Remedy for abortion at third month.				
		a. Sabina	b.	Sepia		
		c. Phos	d.	Nat mur		
	2.	False labour pain, sensation as if uterus is squeezed > by bending forward.				
		a. Puls	b.	Gelsemium		
		c. Caulophyllum	d.	Secal cor		
	3.	Chronic, painful bleeding piles especially in later months of pregnancy				
		a. Kali carb	b.	Collinsonia		
		c. Aloes	d.	Hamamelis		
	4. A lady came with full term labour pain. Pain is flying across the abdom from side to side, compel her to double up with marked rigidity of cerv os. Select the indicated remedy.					
		a. Kali carb	b.	Cimicifuga		
		c. Veretrum vir	d.	Sabina		
	5.	Vomiting of pregnancy with ptylism	l			

- Vomiting of pregnancy with ptylism
 - Phosphorus Kreosote b. a. Sulphur Ars alb d. c.